



NOTES:
 - PROVIDE STAINLESS STEEL COVER FOR ALL WALL & FLOOR CLEANOUTS
 - SEE ARCHITECTURAL DETAILS FOR WUDU AREA
 - ALL VALVES SHALL BE ACCESSIBLE OR LOCATED WITH STAINLESS STEEL ACCESS COVER ON WALL OR CEILING

TO WALL HYDRANT ON ROOF ATTACHED TO EXISTING CMU BUILDING WALL. HYDRANT SHALL BE STAINLESS STEEL WITH ACCESS COVER AND ATTACHED TO EXISTING BUILDING CMU. PROVIDE NECESSARY WATERPROOFING.

VALVE ON WALL FOR WALL HYDRANT ON ROOF. PROVIDE 6"x6" PERMANENT SIGN SAYING "ROOF HYDRANT VALVE, KEEP SHUT UNLESS NECESSARY".

PROVIDE STAINLESS STEEL ACCESS COVERS FOR ABLUTION FAUCET CONNECTION VALVES (NY)

Rev	Date	Revision
1	March 02, 2011	PERSE GAS PIPING SIZE, ADD GAS CAPACITY
2	1-12-11	DWG. UPDATES

Heritage Architecture, LLC
 Architecture Design Interiors
 352 E. 10th St., Suite 2
 Paramus, N.Y. 07652
 Tel : (201) 262 3800
 Fax : (201) 262 3800

Project No:	0919	Project:	DAR-UL ISLAM HOUSE OF WORSHIP (RESQUE)
Date:	December, 02, 2010	Drawn By:	YA
Checked By:	NA	Client:	
Scale:	As Noted	Drawing No.:	2ND FLOOR WATER, GAS SUPPLY PLAN
Lot:	"		
Block:	"		

Sheet:
 Nassir Almuhtar, RA
 NJ Lic. # 16036

Drawing No.:

P-3

© Heritage Architecture, LLC